

Environmental Risk Assessment Data Summary

<u>Active Pharmaceutical Ingredient</u>	<u>Medical Product</u>
Mivacurium chloride	Mivacron

Executive Summary

GSK is committed to ensuring that our compounds do not adversely affect the environment. We carry out state-of-the-art environmental testing on all our pharmaceuticals and use these data in risk assessments to evaluate potential for harm to the environment. The results of these assessments suggest that no adverse environmental impact is likely to result from post-patient release of GSK pharmaceuticals into the environment.

This Environmental Risk Assessment (ERA) has been conducted for mivacurium and a risk to the environment has not been excluded due to insufficient ecotoxicity data. Therefore, the Predicted Environmental Concentration (PEC) to Predicted No Effects Concentration (PNEC) ratio has not been calculated.

GlaxoSmithKline's public position statement on pharmaceuticals in the environment may be accessed via this link - [GlaxoSmithKline's Position: Pharmaceuticals in the Environment](#).

The following pages contain the technical background information.

Technical Background Information

Environmental Fate

This substance is not readily biodegradable nor inherently biodegradable and it is expected to persist in the environment. This substance is water soluble and a low partition coefficient suggests it is unlikely to bioconcentrate in exposed aquatic organisms. Based on a high adsorption coefficient this substance is likely to adsorb to sludge or biomass and is expected to reach the terrestrial compartment to a significant extent where it will be slowly degraded.

PEC/PNEC Risk Quotient Calculation

European Union

The PEC/PNEC risk quotient calculation is the standard quantitative method of risk assessment and is approved by major national and international regulatory agencies [2, 3, 4].

Predicted Environmental Concentration

The PEC has been calculated based on the following data:

$$\text{PEC } (\mu\text{g/L}) = \frac{A \times 1\text{E} + 09 \times (100 - R)}{365 \times P \times V \times D \times 100}$$

where:

A (kg/year) = total use of mivacurium active based on sales in the European Union in 2012 (IMS Data).

R (%) = removal rate due to loss by adsorption to sludge particles, by volatilization, hydrolysis or biodegradation. For mivacurium it has been assumed that R = 0% as a worst case scenario [3].

P = number of inhabitants in the European Union (EU 27) = 502.48×10^6 (IMS Data).

V (L/day) = volume of wastewater per capita and day = 200, EMA default [2].

D = factor for dilution of waste water by surface water flow = 10, EMA default [2].

NB: PEC, conservatively, is based on no metabolism and no removal of drug substance to sludge solids. It is assumed that 100% of drug substance enters the aquatic environment.

PEC = 0.000065 $\mu\text{g/L}$

Predicted No Effects Concentration (PNEC)

A PNEC may not be calculated because ecotoxicity data from all three trophic levels of aquatic organisms is not available.

PNEC = Not applicable

PEC/PNEC Risk Characterisation

PEC/PNEC (European Union) = Not determined

PEC/PNEC Risk Quotient Calculation

United States of America (Not Applicable)

The PEC/PNEC risk quotient calculation is the standard quantitative method of risk assessment and is approved by major national and international regulatory agencies [2, 3, 4].

Predicted Environmental Concentration

The PEC has been calculated based on the following data:

$$\text{PEC } (\mu\text{g/L}) = \frac{A \times 1\text{E} + 09 \times (100 - R)}{365 \times P \times V \times D \times 100}$$

where:

A (kg/year) = total use of mivacurium active based on sales in the United States in 2012 (IMS Data).

R (%) = removal rate due to loss by adsorption to sludge particles, by volatilization, hydrolysis or biodegradation. For mivacurium it has been assumed that R = 0% as a worst case scenario [3].

P = number of inhabitants in the United States of America = 311.591×10^6 (IMS Data).

V (L/day) = volume of wastewater per capita and day = 370, USGS.

D = factor for dilution of waste water by surface water flow = 10, FDA default [5].

NB: PEC, conservatively, is based on no metabolism and no removal of drug substance to sludge solids. It is assumed that 100% of drug substance enters the aquatic environment.

PEC = 0.0 $\mu\text{g/L}$

Predicted No Effects Concentration (PNEC)

A PNEC may not be calculated because ecotoxicity data from all three trophic levels of aquatic organisms is not available.

PNEC = Not applicable

PEC/PNEC Risk Characterisation

PEC/PNEC (United States of America) = Not determined

All relevant environmental fate and ecotoxicity data are published in Section 12 of the Material Safety Data Sheet (MSDS) for the medical product. The MSDS is publicly available at <http://www.msds-gsk.com/ExtMSDSlist.asp>.

Metabolism and Excretion

Enzymatic hydrolysis by plasma cholinesterase is the primary mechanism for inactivation of mivacurium and yields a quaternary alcohol and a quaternary monoester metabolite. Tests in which these two metabolites were administered to cats and dogs suggest that each metabolite is unlikely to produce clinically significant neuromuscular, autonomic, or cardiovascular effects following administration of mivacurium chloride. Renal and biliary excretion of unchanged mivacurium are minor elimination pathways; urine and bile are important elimination pathways for the two metabolites [1].

References

1. Summary of Product Characteristics Mivacron (Mivacurium chloride) Injection. GlaxoSmithKline, November 2012. <http://www.medicines.org.uk/EMC/>
2. Committee for Medicinal Products for Human Use (CHMP); Guideline on the Environmental Risk Assessment of Medicinal Products for Human Use. 1 June 2006, Ref EMEA/CPMP/SWP/4447/00. http://www.emea.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/10/WC500003978.pdf
3. European Chemicals Agency (ECHA). 2008 Guidance on information requirements and chemical safety assessment. http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_en.htm
4. Fass Environmental Classification of Pharmaceuticals. 2012 Guidance for Pharmaceutical Companies. www.fass.se
5. Food and Drug Administration (FDA). 1998 Guidance for Industry on Environmental Assessment of Human Drug and Biologics Applications. <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm070561.pdf>